



**NuTech**  
Paint for a perfect finish

# Roof Coatings

product range

**Global Leader  
In Roof Coating  
Technology**



**Australian**  
Owned & Made



## 100% Acrylic Membrane Roof Coatings:

### ➤ NXT Cool Zone

**Available Sizes:**  
15 Litres

A revolutionary heat reflective coating for tile and metal roofs. Utilising thermal protection technology, it reflects the sun's heat and reduces indoor temperatures. The coating is low VOC and comes in a high-gloss or low-sheen finish. Available in the full range of NuTech standard colours.



### ➤ TileFlex

**Available Sizes:**  
15 Litres

TileFlex is impregnated with self-cleaning nanotechnology and performs like no other roof coating. Providing significantly more gloss on application, it helps maintain the look of a new roof for much longer than a standard gloss acrylic roof coating. Available in the full range of NuTech standard colours.



### ➤ FlexiShield

**Available Sizes:**  
15 Litres

FlexiShield is an innovative, nano-technology modified acrylic polymer coating, formulated specifically as a refinishing system for weathered and old coated metal roofing, colorbond, guttering, metal fencing and metal facade cladding. FlexiShield is available in low sheen or matt finishes. Available in the full range of NuTech standard colours.



### ➤ NuFlex

**Available Sizes:**  
15 Litres

NuFlex is a technically advanced, 100% acrylic gloss, roof and masonry surface coating. It guarantees maximum durability and performance under the most adverse weather conditions. Available in the full range of NuTech standard colours.



**\*All of the above coatings are safe for the collection of drinking water**

## Additional Roof Coating Products:

### MaxiPoint

A viscous, ready-to-use water based roof pointing mortar that is flexible and easy to use. Available in 9 colours and can be painted. Drinking water safe.

### Flexible Acrylic Membrane

Designed for sealing and waterproofing. High quality elastomeric coating.

### NXT AquaGuard

A high build waterproofing membrane that is resistant to ponding and wear.

### Terra-Glaze

Clear protective coating designed and developed for porous, unglazed, non-vitrified terracotta roof tiles.

### Asbestos Sealer

Cross linking alkaline curing sealer for asbestos cement sheeting.

### NuBond

Admixture for ridge cap bedding mortar and pointing mortar mixes.

### Moss Rid

Designed to kill moss, lichen and algae growth on roof tiles, concrete, masonry, and asbestos sheeting.

### EcoSafe Rust Converter & Inhibitor

Formulated to convert active surface rust on bare metal into a stable surface ready for coating.

### Aqua-Stop Silicon Sealer

Impregnating sealer suitable for a wide range of cement and non-vitrified terracotta roof tiles.

The NuTech Professional Roof Restoration System includes specially formulated primers, sealers and topcoats for a wide range of roofing surfaces. To view our full range of roofing products visit our website at: [nutech.com.au/roofcoatings/](http://nutech.com.au/roofcoatings/)

## Elite Terracotta Primer

**Available Sizes:**  
15 Litres

A water based, solvent free primer, that enhances top coat adhesion and is developed specifically for glazed or vitrified terracotta tiles, and other surfaces where an absorbing primer is not suitable. It can be applied on both vertical and horizontal surfaces.



## NuPrime

**Available Sizes:**  
15 Litres

NuPrime is an acrylic primer designed to promote a good inter-coat bond on powdery, unstable roof tiles. Its advanced formula is designed to create a stable surface for all Nutech exterior durable roof coating products.



## Metal Primer

**Available Sizes:**  
15 Litres

Australia's best selling single pack metal roof primer. Providing excellent chemical resistance and top coat adhesion. Recommended for correctly preparing zinc, bare or galvanised metal, and weathered Colorbond surfaces.



## SupaPrime

**Available Sizes:**  
15 Litres

SupaPrime is an extremely tough, flexible, easy to use, environmentally friendly, water based primer specifically designed and formulated to maximise primer penetration into the surface of powdery, oxidised cement roof tiles.



## GP Primer

**Available Sizes:**  
15 Litres

GP Primer is a general purpose primer with a high solids content, designed to be used as a filler coat on very rough or porous cement roof tiles. It helps to maximise and improve the overall appearance, gloss and coverage of top coats.



## Master Sealer


**Available Sizes:**  
15 Litres

Master Sealer is a technically advanced high quality roof primer specifically designed to be used on stable cement roof tiles which do not have a powdery, oxidised surface after cleaning. It helps to maximise top coat adhesion and durability.



The product descriptions listed in this catalogue are a guideline only. Please consult your nearest Nutech Stockist, NuTech Branch, or our website at: [nutech.com.au/roofcoatings/](http://nutech.com.au/roofcoatings/) for detailed Technical Data Sheets and for any additional information relating to specific job application requirements.





Keep your home 6°C to 10°C  
Cooler with NXT Cool Zone!

**30°C Cooler on the Roof**  
means **6 to 10°C Cooler**  
Inside the home



Weathered  
Roof Tile

Clean Roof  
Tile

Sealed Roof  
Tile

Roof Tile finished with 2  
coats of NXT Cool Zone



Sample 1

#### Sample 1:


A powdery, oxidised colour cement tile that has been cleaned, sealed with Supa-Prime, then finished with 2 coats of NXT Cool Zone in the colour "Earl Grey". The sealer and two topcoats are applied at the coverage rate of 4 square metres per litre.



Sample 2

#### Sample 2:

A very rough, porous cement tile that was cleaned and sealed with GP Primer and finished with 2 topcoats of NXT Cool Zone in the colour "Black". The sealer and two topcoats are applied at the coverage rate of 4 square metres per litre.



Sample 3

#### Sample 3:

A stable cement tile that did not have a powdery, oxidised surface after cleaning. It has been sealed with Master Sealer and finished with 2 topcoats of NXT Cool Zone in the colour "Headland". The sealer and two topcoats are applied at the coverage rate of 4 square metres per litre.

Refer to NXT brochure or our website for further information.



nutech.com.au

NuTech Paint Pty Ltd | ACN 105243794  
4 Keppler Circuit Seaford VIC 3198  
T +61 3 9770 3000 | sales@nutech.com.au

Stockists: